

Question	Option 1	Option 2	Option 3	Option 4	Correct Ans
The example of a drug belonging to plant source is :	Carageenan	Chitin	Wool fat	Nux vomica	4
The example of organized drug is :	Agar	Bees Wax	Chitin	Digitalis	4
The chemical commonly used as mountant is :	Glycerin	Chloral hydrate	Sod. hypochlorite	Iodine	1
The example of a ground tissue is :	Epidermis	Parenchyma	Xylem	Phloem	2
The plants that complete their life cycle in two years are known as :	Triannuals	Annuals	Biennials	Perennials	3
The Molisch reagent is used for the identification of :	Steroids	Lipids	Carbohydrates	Mucilage	3
The example of Mono Unsaturated fatty acids (MUFA) is :	Linoleic acid	Oleic acid	Palmitic acid	Stearic acid	2
The carbon skeleton of flavonoid nucleus is :	$C_6 - C_2$	$C_6 - C_1 - C_3$	$C_6 - C_4 - C_3$	$C_6 - C_3 - C_6$	4
The edaphic factor refers to :	Fertilizers	External	Soil conditions	Internal	3
The example of animal fibres is :	Jute	Silk	Asbestos	Rayon	2
The example of a drug belonging to carbohydrate category :	Wheat germ oil	Pectin	Wool fat	Cod liver oil	2
The example of a drug belonging to Lipid category :	Agar	Starch	Xanthan gum	Cocoa butter	4
The example of a plant lectin is :	Abrin	TSH	Casein	Streptokinage	1
The alternate system of medicine based on Law of Similar is :	Ayurveda	Sidda system	Homoeopathy	Chinese system	3
The sieve tube elements and companion cells are part of :	Phloem tissue	Xylem tissue	Ground tissue	Vascular tissue	1

Resins containing large amount of complex alcohols of high mol. wt, are commonly known as :	Resinols	Resinotannols	Resin acids	Balsams	1
Flavonoids with a double bond between positions 2 and 3 and a ketone in position 4 of the C ring are called as :	Resinols	Flavones	Flavonols	Isoflavones	2
Name the plant whose Phloem fibres of stems are used as plant fibre :	Hemp	Cotton	Jute	Flax	3
Name the unorganized drug which contains myricin as chief active principle :	Arachis oil	Cod liver oil	Bees wax	Wool fat	3
Name the enzyme medicinally used in the treatment of thrombolytic disorder :	Streptokinase	Serratio-peptidase	Pepsin	Papain	1
The leaf that comes out during germination and conducts photosynthesis till the first leaf is formed :	Foliage leaf	Scaly leaf	Simple leaf	Cotyledonary leaf	4
The resins occur along with gums & volatile oils in more or less homogenous mixture is called as :	Gum	Oleo-resin	Oleo-gum-resin	Balsams	3
Name the drug when warmed with $KMnO_4$, gives odour of benzaldehyde :	Colophony	Agar	Tragacanth	Benzoin	4
These are the group of hormones that promote cell division in plant roots, shoots and the growth of buds :	Cytokinins	Gibberlins	I A A	Auxins	1

“It is a fat obtained from the seeds of <i>Theobroma cacao</i> belonging to family Sterculiaceae” B S of a drug :	Arachis oil	Cod liver oil	Theobroma oil	Wool fat	3
---	-------------	---------------	---------------	----------	---