Question	Option 1	Option 2	Option 3	Option 4	Correct Ans
The example of a drug belonging to plant source is:	Carageenan	Chitin	Wool fat	Nux vomica	4
The example of organized drug is:	Agar	Bees Wax	Chitin	Digitalis	4
The chemical commonly used as mountant is:	Glycerin	Chloral hydrate	Sod. hypochlorite	lodine	1
The example of a ground tissue is :	Epidermis	Parenchyma	Xylem	Phloem	2
The plants that complete their life cycle in two years are known as:	Triannuals	Annuals	Biennials	Perennials	3
The Molisch reagent is used for the identification of :	Steroids	Lipids	Carbohydrates	Mucilage	3
The example of Mono Unsaturated fatty acids (MUFA) is :	Linoleic acid	Oleic acid	Palmitic acid	Stearic acid	2
The carbon skeleton of flavonoid nucleus is :	$C_6 - C_2$	$C_6 - C_1 - C_3$	$C_6 - C_4 - C_3$	$C_6 - C_3 - C_6$	4
The edaphic factor refers to :	Fertilizers	External conditions	Soil conditions	Internal conditions	3
The example of animal fibres is :	Jute	Silk	Asbestos	Rayon	2
The example of a drug belonging to carbohydrate category:	Wheat germ oil	Pectin	Wool fat	Cod liver oil	2
The example of a drug belonging to Lipid category:	Agar	Starch	Xanthan gum	Cocoa butter	4
The example of a plant lectin is:	Abrin	TSH	Casein	Streptokinage	1
The alternate system of medicine based on Law of Similars is:	Ayurveda	Sidda system	Homoeopathy	Chinese system	3
The sieve tube elements and companion cells are part of :	Phloem tissue	Xylem tissue	Ground tissue	Vascular tissue	1

Resins containing large amount of	Resinols	Resinotannols	Resin acids	Balsams	
complex alcohols of high mol. wt,					1
are commonly known as :					
Flavonoids with a double bond	Resinols	Flavones	Flavonols	Isoflavones	
between positions 2 and 3 and a					2
ketone in position 4 of the C ring are					
called as :					
Name the plant whose Phloem	Hemp	Coton	Jute	Flax	
fibres of stems are used as plant					3
fibre :					
Name the unorganized drug which	Arachis oil	Cod liver oil	Bees wax	Wool fat	
contains myricin as chief active					3
principle :					
Name the enzyme medicinally used in	Streptokinage	Serratio-peptidage	Pepsin	Papain	
the treatment of thrombolytic disorder					1
:					
The leaf that comes out during	Foliage leaf	Scaly leaf	Simple leaf	Cotyledonary leaf	
germination and conducts					4
photosynthesis till the first leaf is					
formed :					
The resins occur along with gums &	Gum	Oleo-resin	Oleo-gum-resin	Balsams	
volatile oils in more or less					3
homogenous mixture is called as:					
Name the drug when warmed with	Colophony	Agar	Tragacanth	Benzoin	
KMNO4, gives odour of					4
benzaldehyde :					
These are the group of hormones	Cytokinins	GIbberlins	IAA	Auxins	
that promote cell division in plant					
roots, shoots and the growth of buds					1
:					

"It is a fat obtained from the seeds of	Arachis oil	Cod liver oil	Theobroma oil	Wool fat	
Theobroma cacao belonging to					2
family Sterculiacae" BS of a drug:					3